ABSTRACT

The present invention provides a flash memory cell utilizing an ambient containing atomic oxidation for fabrication of a second or top oxide layer in a oxide-nitride-oxide insulating structure. The second or top oxide layer is grown utilizing atomic oxygen containing ambients. A silicon nitride is thus oxidized substantially faster than standard steam or oxygen ambients.

5